

WINDOW FIXED INSECT SCREENS



INSECT SCREENS

- protect your home from unpleasant insects
- guarantee your quiet and undisturbed sleep
- a wide range of different types of insect screens
- various colour versions of the screen frames allow you to match the screen with the door frame
- a special anti-allergic mesh suitable especially for allergy sufferers is also available
- easy installation



CLIMAX 
Sunscreens by Servis Climax a.s.




Do you know that **insect screens are the most effective protection** against insects?

Let a window or a balcony door open at night - you do not have to worry about mosquitoes if you have insect screens! There will be no gap in your windows and doors through which the annoying insects can enter your home.


INSECT SCREEN EXT-10

- » extruded profile 26 x 9 mm
- » corner of the frame cut at 45° with stainless steel reinforcement
- » fixation of the screen to the window frame using turning hooks
- » with integrated sealing brush in the groove



INSECT SCREEN EXT-16

- » extruded profile 26 x 9 mm
- » corner of the frame cut at 45° with stainless steel reinforcement
- » fixation of the screen to the window frame using turning hooks
- » with integrated sealing brush in the groove
- » also suitable for windows with a distinctive rounding of the window frame




INSECT SCREEN WITH COLLAR

- » rolled profile 31 x 13 mm
- » outer visible plastic corners
- » fixation of the screen to the window frame using turning hooks
- » can be made with an adhesive sealing brush




OFFSET INSECT SCREEN

- » extruded profile 24 x 24 mm
- » corner of the frame cut at 45° with stainless steel reinforcement, or outer visible plastic corners
- » fixation of the screen to the window frame using swivels
- » suitable for windows requiring the offset of the screen due to overlapping drip-mouldings or handles




INSECT SCREEN 25 mm

- » rolled profile 31 x 13 mm
- » type of frame corner: visible plastic or cut at 45° with plastic reinforcement
- » optional fixation of the screen to the window frame using: swivels, spring pins, Z-brackets or springs
- » can be made with an adhesive sealing brush









INSECT SCREEN 36 mm

- » extruded profile 36 x 11 mm
- » corner of the frame cut at 45°
- » fixation of the screen to the window frame using Z-brackets or swivels
- » with sealing brush in the groove, or with side brush
- » massive frame with great stability
- » also suitable for aluminum windows






OVERVIEW OF PROFILES

EXT-10 extruded profile 26 x 9 mm	EXT-16 extruded profile 32 x 9 mm	COLLAR rolled profile 31 x 13 mm	25 mm rolled profile 25 x 11 mm	36 mm extruded profile 36 x 11 mm	OFFSET extruded profile 24 x 24 mm
					

FRAME COLOURS

- » depending on the type of insect screen, standard RAL colours, wood imitation, silver anodized or other RAL colours can be selected




LIMIT DIMENSIONS

	width cm	height cm	area m²
EXT-10	25 – 150	25 – 220	2.5
EXT-16	25 – 150	25 – 200	2.5
COLLAR	25 – 150	25 – 200	2
25 mm	25 – 150	25 – 200	2
36 mm	50 – 150	50 – 240	3.5
OFFSET	30 – 150	30 – 220	2.5

Note: It is possible to swap the width and height of the screen.

MESH

- » made of fiberglass which does not corrode and tolerates temperature differences
- » for an extra charge you can choose reinforced or anti-allergic mesh
- » you can choose from black, grey or transparent mesh



ANCHORING

turning hook

Z-bracket

swivel





EXTERNAL BLINDS



VENETIAN BLINDS



INTERIOR FABRIC SHADING



PERGOLAS AND CONSERVATORIES



CLIMAX



FACADE AWNINGS



INSECT SCREENS



AWNINGS



ROLLER SHUTTERS

CLIMAX 

Sunscreens by Servis Climax a.s.

The information contained in this leaflet is purely informative. For more information on products of the SERVIS CLIMAX company please contact our nearest business partner. The complete offer, including technical support, is found on our website www.servisclimax.eu